

DeGraaf

EXHAUSTS



Always Better

CONTACT INFO:

☎ 012 379 2143

🌐 www.degraaf.co.za

90 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



- A - Length
- B - Diameter
- C - Pipe OD Diameter

Part number

UM **A** **B** **C** Inlet & outlet Round
UM **30** **09** **57** **1** **R**

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2009501 R	420050CC				
UM 2009571 R	420057CC				
UM 2309381 R	423038CC		2250-38F		
UM 2309441 R	423045CC		2250-45F		
UM 2309501 R	423050CC		2250-50F		
UM 2309571 R	423057CC		2250-57F		
UM 3009381 R	430038CC	RB300CC38ME	2300-38F		
UM 3009441 R	430045CC	RB300CC45ME	2300-45F	246-001	
UM 3009501 R	430050CC	RB300CC50ME	2300-50F	246-002	
UM 3009571 R	430057CC	RB300CC57ME	2300-57F	246-003	
UM 3009631 R	430063CC	RB300CC63ME	2300-63F		
UM 4009381 R	440038CC	RB400CC38CE	2400-38F		
UM 4009441 R	440045CC	RB400CC45CE	2400-45F	246-004	
UM 4009501 R	440057CC	RB400CC50ME	2400-50F	246-005	
UM 4009571 R	440057CC	RB400CC57ME	2400-57F	246-006	
UM 4009631 R	440063CC	RB400CC63ME	2400-63F		
UM 6009631 R			1600-63F		

90 mm Round Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 2309571 R	423057CC		2250-75F		
UMC 3009441 R	430045CC		2300-45F		
UMC 3009501 R	430050CC		2300-50F		
UMC 3009571 R	430057CC		2300-57F		
UMC 4509441 R	445045CC		2400-45F		
UMC 4509501 R	445050CC		2400-50F		
UMC 4509571 R	445057CC		5400-57F		



90 mm Round Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 2309501 R	S423050CC				
US 3009381 R	S430038CC		S 2300-38F		
US 3009441 R	S430045CC		S 2300-45F		
US 3009501 R	S430050CC		S 2300-50F	246-902	
US 3009571 R	S430057CC		S 2300-57F	246-903	
US 3009631 RS	S430063CC				
US 3309631 RS	S433063CC		S 2300-63F		
US 4009501 R	S440050CC		S 2400-50F	246-905	
US 4009571 RS	S440057CC		S 2400-57F	246-906	
US 4009631 R	S440063CC		S 2400-63F		
US 4509501 RS	SS445050CC				
US 4509571 RS	SS445057CC				
US 5009501 R	SS450050CC				
US 6009501 R	SS460050CC				

105 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



- A - Length
- B - Diameter
- C - Pipe OD Diameter

Part number

UM ^A30 ^B10 ^C57 Inlet & outlet Round 1 R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2310381 R	423038CC		2250-38F		
UM 2310441 R	423045CC		2250-45F		
UM 2310501 R	423050CC		2250-50F		
UM 3010381 R	430038CC		2300-38F		
UM 3010421 R	430042CC				
UM 3010441 R	430045CC		2300-45F		
UM 3010501 R	430050CC		2300-50F		
UM 3010541 R	430054CC				
UM 3010571 R	430057CC		2300-57F		
UM 3010631 R	430063CC		2300-63F		
UM 3010761 R	430076CC				
UM 4010381 R	440038CC		2400-38F		
UM 4010421 R	440042CC				


105 mm Round Silencers



Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 4010441 R	440045CC		2400-45F		
UM 4010501 R	440050CC		2340-50F		
UM 4010541 R	440054CC				
UM 4010571 R	440057CC		2400-57F		
UM 4010631 R	440063CC		2400-63F		
UM 4010761 R	440076CC		2400-76F		
UM 5010381 R	450038CC				
UM 5010421 R	450042CC				
UM 5010441 R	450045CC				
UM 5010501 R	450050CC		2500-50F		
UM 5010541 R	450054CC				
UM 5010571 R	450057CC		2500-57F		
UM 5010631 R	450063CC		2500-63		
UM 5010761 R	450075CC				
UM 6010381 R	460038CC				
UM 6010421 R	460042CC				
UM 6010441 R	460045CC				
UM 6010501 R	460050CC		2600-50F		
UM 6010541 R	460054CC				
UM 6010571 R	460057CC				
UM 6010631 R	460063CC				
UM 6010761 R	460076CC				

120 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B12 ^C57 Inlet & outlet Round
1 R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2312441 R	523045CC		3250-45F		
UM 2312501 R	523050CC		3250-50F		
UM 2312631 R	523063CC		3250-63F		
UM 2512421 R	525042CC				
UM 2512501 R	525050CC				
UM 3012381 R	533038CC		3300-38F		
UM 3012441 R	533045CC		3300-45F		
UM 3012501 R	533050CC		3300-50F	246-008	
UM 3012571 R	533057CC		3300-57F	246-009	
UM 3012631 R	533063CC				
UM 3012761 R	533076CC		3300-76F		
UM 3512501 R	533050CC		3350-50F		
UM 4012381 R	540038CC		3400-38F		
UM 4012441 R	540045CC	RC400CC45ME	3400-45F	246-010	
UM 4012442 R	540045CC	RC400CC45ME	3401-45F		
UM 4012501 R	540050CC	RC400CC50ME	3400-50F	246-011	
UM 4012571 R	540057CC	RC400CC57ME	3400-57F	246-012	
UM 4012631 R	540063CC				
UM 4012761 R	540076CC	RC400CC76ME	3400-76F		
UM 5012631 R	550063CC				

120 mm Round Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 4012631 R	540063CC		3400-36F		
UMC 2312441 R	523045CC		3250-45F		
UMC 3012386 R	530038OO				
UMC 3012631 R	530063CC				
UMC 3012761 R	530076CC				
UMC 3312631 R	533063CC				
UMC 4012441 R	540045CC		3400-45F	246-010	
UMC 4012501 R	540050CC		3400-50F	246-011	
UMC 4012571 R	450057CC		3400-57F	246-012	


120 mm Round Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 3012381 RS	S533038CC		S 3300-38F		
US 3012501 R	S533050CC		S 3300-50F	246-908	
US 3012571 R	S533057CC		S 3300-57F	246-909	
US 3012631 RS	S5330063CC		S 3300-63F		
US 3012761 R	S533076CC		S 3300-76F		
US 3512631 R	S53363CC				
US 4012381 R	S540038CC		S 3400-38F		
US 4012441 R	S540045CC		S 3400-45F	246-910	
US 4012501 R	S540050CC		S 3400-50F	246-911	
US 4012571 R	S540057CC		S 3400-57F	246-912	
US 4012631 R	S540063CC				
US 4012761 RS	S540076CC		S 3400-76F		
US 5012631 RS	S550063CC				
US 5012761 RS	S550076CC				
US 6012631 R	S60063CC				

160 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B16 ^C57 Inlet & outlet Round
1 R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 3016382 R	630038CO		3301-38F		
UM 3016441 R	S30045CC	OA300CC45ME	3300-45F		
UM 3016442 R	630044CO	OA300CC45ME			
UM 3016502 R	630050CO				
UM 3016571 R	630057CC				
UM 3016572 R	630057CO				
UM 3016631 R	630063CC				
UM 3216446 R	633045OO				
UM 3316386 R	633038OO				
UM 3316446 R	633045OO		4302-45F		
UM 4016381 R	6400381CC		4400-38F		
UM 4016382 R	6400381CO		4401-38F		
UM 4016441 R	640045CC		4400-45F		
UM 4016442 R	640045CO		4401-45F		
UM 4016446 R	640045OO	RD400OO45ME	4402-45F	246-046	640245
UM 4016501 R	640050CC		4400-50F		
UM 4016502 R	640050CO	RD500CO50ME	4401-50F		640150
UM 4016506 R	640050OO	RD400OO50ME	4402-50F	246-047	640250
UM 4016571 R	640057CC		4400-57F		
UM 4016572 R	640057CO		4401-57F		
UM 4016631 R	640063CC		4400-63F		

160 mm Round Silencers



Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 4016632 R	640063CO		4401-63F		
UM 4016761 R	640076CC		4400-76F		
UM 5016441 R	650045CC		4500-45F		
UM 5016442 R	650045CO		4501-45F		650145
UM 5016446 R	650045OO	RD500OO45ME	4502-45F	246-052	650245
UM 5016501 R	650050CC		4500-50F	246-058	
UM 5016502 R	650050CO	RD500CO50ME	4501-50F	246-50F	650150
UM 5016506 R	650050OO	RD500OO50ME	4502-50F		650250
UM 5016508 R	650050DD		4505-50F		
UM 5016509 R	650057DC				
UM 5016571 R	650057CC		4500-57F	246-059	
UM 5016572 R	650057CO		4501-57F		
UM 5016631 R	650063CC				
UM 5016761 R	650076CC				
UM 5016762 R	650076CO				
UM 6016631 R	650063CC				

160 mm Round Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 3016381 R	633038CC				
UMC 3016386 R	633038OO				
UMC 3016441 R	633045CC				
UMC 3016446 R	633045OO		4302-45F		
UMC 3016501 R	633050CC				
UMC 3316386 R	633038OO				
UMC 3316446 R	633045OO				
UMC 4016386 R	640038OO				
UMC 4016446 R	640045OO				
UMC 4016502 R	640050CC		4401-45F		
UMC 4016506 R	640050OO		4402-50F		
UMC 5016442 R	650045CO		4501-45F		
UMC 5016448 R	650045DD		4505-45F		
UMC 5016501 R	650050CC		4500-50F		
UMC 5016502 R	650050CO		4501-50F		
UMC 5016506 R	650050OO		4502-50F		
UMC 5016571 R	650057CC		4500-57F		
UMC 5016572 R	650057CO		4500-57F	246-059	
UMC 5016631 R	650063CC		4501-57F		
UMC 5016636 R	650063OO		4500-63F		
UMC 6016501 R	660050CC				


160 mm Round Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 3516448 R	S633045DD				
US 4016446 R	S640045OO		S 4400-45F	246-946	
US 4016448 R	S640045DD		S 4400-45F		
US 4016501 R	S640050CC		S 4400-50F		
US 4016502 R	S640050C0		S 4401-50F		
US 4016506 RS	S640050OO		S 4402-50F	246-947	
US 4016571 R	S640057CC		S 4400-57F		
US 4016572 R	S640057CO		S 4401-57F		
US 4016631 R	S640063CC		S 4400-63F		
US 4016632 R	S640063CO		S 4401-63F		
US 4516632 R	S645063CO				
US 5016441 R	S650045CC		S 4500-45F		
US 5016442 R	S650045CO		S 4501-45F		
US 5016501 R	S650050CC		S 4500-50F		
US 5016502 R	S650050CO		S 4501-50F	246-990	
US 5016506 R	S650050OO		S 4502-50F		
US 5016571 R	S650057CC		S 4500-57F		
US 5016572 R	S650057CO		S 4501-57F		
US 5016631 RS	S650063CC		S 4500-63F		
US 5016632 RS	S650063CO		S 4501-63F		
US 5016761 RS	S650076CC		S 4500-76F		
US 5016766 RS	S650076OO				
US 5516508 R	S655050DD				
US 6016572 R	S660057CO				

180 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B18 ^C57 Inlet & outlet Round
1 R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2318386 R	723038OO				
UM 3518571 R	733057CC				
UM 4018382 R	740038CO		5401-38F		
UM 4018446 R	740045OO		5402-45F	246-046	
UM 4018501 R	740050CC		4500-50F		
UM 4018502 R	740050CO		5401-50F	246-093	
UM 4018506 R	740050OO		5402-50F	246-047	
UM 4018571 R	740057CC		5400-50F		
UM 4018631 R	740063CC		5400-63F		
UM 4018632 R	740063CO		5401-63F		
UM 4018761 R	740076CC		5400-76F		
UM 4018762 R	740076CO		5401-76F		
UM 5018501 R	750050CC	RE500CC50ME	5500-50F		850050
UM 5018502 R	750050CO	RE500CO50ME	5501-50F	246-290	850150
UM 5018506 R	750050OO	RE500OO50ME	5502-50F	246-053	
UM 5018508 R	750050DD				
UM 5018571 R	750057CC	RE550CC57ME	5500-57F	246-091	850057
UM 5018572 R	750057CO	RE500CO57ME	5501-57F	246-092	850157
UM 5018576 R	750057OO	RE500OO57ME	5502-57F		
UM 5018631 R	750063CC	RE550CC63ME	5500-63F		850063
UM 5018632 R	750063CO	RE500CO63ME	5501-63F		850163
UM 5018761 R	750076CC				
UM 5018762 R	750076CO				
UM 6018501 R	760050CC				
UM 6018576 R	760057OO				
UM 6018631 R	760063CC	RE600CC63ME	5600-63F		860063

180 mm Round Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 3018386 R	730038OO				
UMC 3018761 R	730076CC				
UMC 4018632 R	740063CO				
UMC 5018502 R	750050CO		5501-50F		
UMC 5018506 R	750050OO		5502-50F		
UMC 5018508 R	750050DD		5505-50F		
UMC 5018631 R	750063CC		5500-63F		
UMC 5018638 R	750063DD				
UMC 5018761 R	750076CC				
UMC 5518578 R	755057DD				
UMC 6018501 R	760050CC				
UMC 6018572 R	760057CO				
UMC 6018631 R	760063CC				
UMC 6018761 R	760076CC				


180 mm Round Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 2318761 R	S723076CC				
US 3018386 R	S730038OO				
US 3018631 R	S633063CO				
US 3018761 R	S633076CC				
US 3518762 R	S33076CO				
US 3518766 R	S33076OO				
US 4018446 R	S740045OO		S 5402-45F	246-946	
US 4018506 R	S740050OO		S 5402-50F	246-947	
US 4018631 RS	S740063CC		S 5400-63F		
US 4018761 R	S740076CC		S 5400-76F		
US 4018901 R	S740090CC				
US 5018502 RS	S750050CO		S 5501-50F	246-990	
US 5018506 R	S750050OO		S 5502-50F		
US 5018571 R	S750057CC		S 5500-57F		
US 5018572 R	S750057CO		S 5501-57F		
US 5018631 RS	S750063CC		S 5500-63F		
US 5018632 RS	S750063CO				
US 5018761 R	S750076CC				
US 5518446 R	S755045CC				
US 5518508 R	S755050DD				
US 6018502 R	S760050CO				
US 6018571 R	S760057CC				
US 6018631 R	S760063CC				
US 6018632 R	S760063CO				
US 6018762 R	S760076CO				

200 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



- A - Length
- B - Diameter
- C - Pipe OD Diameter

Part number

UM ^A30 ^B20 ^C57 Inlet & outlet 1 Round R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 4020762 R	840076CO				
UM 4020901 R	840090CC				
UM 4020902 R	840090CO				
UM 5020632 R	850063CO				
UM 5020761 R	850076CC				
UM 6020572 R	860057CO				
UM 6020901 R	860090CC				
UM 8520631 RD	885063CC				

200 mm Round Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 1020891 RD					
UMC 4020761 R	840076CC				
UMC 4020762 R	840076CO				
UMC 5020576 R	850057OO				
UMC 5020631 RD	850063CC		1/20506		
UMC 5020632 R	850063CO				
UMC 5020636 RD	850063OO				
UMC 5020762 R	850076CO				
UMC 6020572 R	860057CO				
UMC 6020631 RD	860063CC		1/20606		
UMC 6020632 RD	860063CO				
UMC 6020761 R	860076CC		1/20607		
UMC 6020762 R	860076CO				
UMC 6020766 R	860076OO				
UMC 9020631 RD	890063CC				
UMC 9020761 RD	890076CC				



200 mm Round Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 5020632 RS	S850063CO				
US 5020636 R	S850063OO				
US 5020761 R	S850076CC				
US 5020762 R	S850076CO				
US 6020572 R	S860057CO				
US 6020576 R	S860057OO				
US 6020901 R	S860090CC				
US 7020632 R	S870063CO				
USC 6020632 R	S860063CO				
USC 6020761 R	S860076CC				

240 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



- A - Length
- B - Diameter
- C - Pipe OD Diameter







Part number

UM ^A30 ^B24 ^C57 Inlet & outlet Round 1 R

Chambered Mild Steel Silencers: (UMC)


DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 10241271 RD					
UMC 2312120 R					
UMC 4012120 R					
UMC 40241011 R	10400101CC				
UMC 4024901 R	1040090CC				
UMC 6024501 R	1060050CC				
UMC 6024761 R	1060076CC				
UMC 7524631 RD	1075063CC				
UMC 8024632 RD	1080063CO				
UMC 85241141 RD					
UMC 8524899 RD					
UMC 90241001 RD					

250 mm Round Silencers



Inlet and outlet Position

- 1. Center Center
- 2. Left Hand Center off Center
- 3. Right Hand Center off Center
- 6. Double off Center
- 8. Two in Two off
- 9. Two in One out
- 9 SE. Side Entry
- OB. Off Blank



- A - Length
- B - Diameter
- C - Pipe OD Diameter



Part number

UM ^A30 ^B25 ^C57 Inlet & outlet 1 Round R

Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 8525899 R					

160 mm Oval Silencers



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B16 ^C57 Inlet & outlet 1 Oval 0

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2316381 O	S25038CC		6250-38F		
UM 2316441 O	S25045CC	OA250CC45ME	6250-45F	246-019	525045CC
UM 2316501 O	S25050CC	OA250CC50ME	6250-50F	246-020	525050CC
UM 2316571 O	S25057CC	OA250CC57ME	6250-57F		525057CC
UM 3016381 O	S30038CC		6300-38F		
UM 3016382 O	S30038CO				
UM 3016386 O	S30038OO				
UM 3016388 O	S30038DD				
UM 3016442 O	S30044CO				
UM 3016448 O	S30044DD				
UM 3016501 O	S30050CC	OA300CC50ME			530050CC
UM 3016502 O	S30050CO				
UM 3016571 O	S30057CC	OA300CC57ME			530057CC
UM 3016572 O	S30057CO				
UM 4016381 O	S40038CC		6400-38F		
UM 4016441 O	S40044CC		6400-45F		
UM 4016448 O	S40045DD				
UM 4016501 O	S40050CC	OA400CC50ME	6400-50F		540050CC
UM 4016571 O	S40057CC	OA400CC57ME	6400-57F		540057CC
UM 5016501 O	S50050CC				
UM 5816388 O	S50038DD				
UM 6016501 O	S60050CC	OA600CC50ME	6600-50F	246-978	560050CC

160 mm Oval Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 2516501 O	S23050CC				
UMC 3016501 O	S30050CC		6300-50F		
UMC 3516441 O	S33045CC				
UMC 3516501 O	S33050CC				
UMC 3516506 O	633050OO				
UMC 4016448 OB	S640045DB				
UMC 4216441 O	S40045CC		6400-45F		
UMC 4216442 O	S40045CO				
UMC 4216501 O	S40050CC		6400-50F		
UMC 5016448 O	S50045DD				
UMC 5016448 OB	S50045DB				
UMC 5516441 O	S55045CC				
UMC 6016441 O	S60045CC		6600-45F	246-824	
UMC 6016448 O	S60045DD			246-808	
UMC 6016501 O	S60050CC		6600-50F	246-078	
UMC 6016508 OB	S60050CC				
UMC 6016509 O	S60050DC				



160 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 2016441 O OB	SS23045DB				
US 2316441 O	SS23045CC		S 6250-45F	246-919	
US 2316501 O	SS25050CC		S 6250-50F	246-920	
US 2316631 O	SS23063CC				
US 2516501 O	SS23050CC				
US 3016381 O	SS30038CC				
US 3016501 O	SS30050CC				
US 3016501 O - Cham	SS33050CC				
US 3316501 O	SS33050CC				
US 3516441 O	SS33045CC				
US 3516501 OS	SS33050CC				
US 4016381 O	SS33038CC				
US 4016441 O	SS40044CC				
US 4016448 O	SS60045DD				
US 4016501 O	SS40050CC				
US 6016501 O	SS60050CC		S 6600-50F	246-978	

180 mm Oval Silencers



Part number

UM ^A30 ^B18 ^C57 Inlet & outlet 1 Oval 0

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 2018761 O	M20076CC				
UM 2318508 O	M25050DD				
UM 2318571 O	M23057CC				
UM 3018381 O	M33038CC		7300-38F		
UM 3018382 O	M33038CO				
UM 3018386 O	M30038OO				
UM 3018441 O	M33045CC	OB300CC45ME	7300-45F	246-013	735045
UM 3018442 O	M33045CO	OB340CO45ME	7301-45F	246-040	735145
UM 3018446 O	M33045OO		7302-45F	246-042	
UM 3018451 O	M30045CC	OB300CC45ME			730045
UM 3018501 O	M30050CC	OB300CC50ME	7300-50F	246-014	730050
UM 3018502 O	M33050CO	OB340CO50ME	7301-50F	246-041	735150
UM 3018506 O	M33050OO	OB340OO50ME	7302-50F	246-043	735250
UM 3018509 O	M33050DC	OB340DC50		246-044	735450
UM 3018571 O	M30057CC	OB300CC57ME	7300-57F	246-015	730057
UM 3018572 O	M33057CO		7301-57F		
UM 3018576 O	M33057OO		7302-57F	246-081	
UM 3018578 O	M33057DD		7305-57F		
UM 3018631 O	M30063CC		7300-63F		730063
UM 3018632 O	M33063CO		7301-63F		
UM 3018638 O	M33063DD				
UM 3018761 O	M33076CC				

180 mm Oval Silencers



Free Flow Mild Steel Silencers: (UM)

DeGraaf	Cowley (Conversion code)	Eagle (Conversion code)	Tuffex (Conversion code)	Bosal (Conversion code)	Noise Boys (Conversion code)
UM 4018321 O	M40032CC				
UM 4018381 O	M40038CC		7400-38F		
UM 4018382 O	M40038CO		7401-35F		740045
UM 4018441 O	M40045CC	OB400CC45ME	7400-45F	246-016	740145
UM 4018442 O	M40045CO	OB400CO45ME	7401-45F	246-048	
UM 4018446 O	M40045OO		7402-45F	246-050	740050
UM 4018501 O	M40050CC	OB400CC50ME	7400-50F	246-017	740150
UM 4018502 O	M40050CO	OB400CO50ME	7401-50F	246-049	740250
UM 4018506 O	M40050OO	OB400OO50ME	7402-50F	249-051	740057
UM 4018571 O	M40057CC	OB400CC57ME	7400-57F	246-018	740157
UM 4018572 O	M40057CO	OB400CO57ME	7401-57F		
UM 4018576 O	M40057OO		7402-57F	246-082	740063
UM 4018578 O	M40057DD		7405-57F		
UM 4018631 O	M40063CC		7400-63F		
UM 4018632 O	M40063CO		7401-63F	246-126	
UM 4018636 O	M40063OO				
UM 4018638 O	M40063DD				
UM 4018761 O	M40076CC				
UM 4518441 O	M45045CC				
UM 5018501 O	M50050CC		7500-50F	246-268	
UM 5018502 O	M50050CO		7501-50F		
UM 5018571 O	M50057CC		7500-57F	246-268	
UM 5018572 O	M50057CO		7501-57F		735445
UM 5018578 O	M50057DD				
UM 5018579 O	M50050DC				
UM 6018501 O	M60050CC				
UM 6018632 O	M60063CO				

180 mm Oval Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 3018381 O	M33038CC		7300-38F		
UMC 3018441 O	M33045CC		7300-45F	246-013	
UMC 3018442 O	M33045CO		7301-45F	246-040	
UMC 3018446 O	M33045OO		7302-45F	246-042	
UMC 3018448 O	M33045DD				
UMC 3018448 OB	M33045DB				
UMC 3018501 O	M33045CO		7300-50F	246-014	
UMC 3018502 O	M33050CO		7301-50F	246-041	
UMC 3018506 O	M33050OO		7302-50F	246-043	
UMC 3018508 O	M33050DD		7305-50F	246-073	
UMC 3018508 OB	M330450DB				
UMC 3018509 O	M33045DC	#N/A	7304-50F		
UMC 3018571 O	M33057CC		7300-57F		
UMC 3018572 O	M33057CO		7301-57F		
UMC 3018579 O	M33050DC		7304-57F		
UMC 3018631 O	M33063CC		7300-63F		
UMC 3018638 O	M33063DD				
UMC 3018639 O	M33063DD				
UMC 3318442 O	M33045CO				
UMC 4018441 O	M40045CC		7400-50F	246-016	
UMC 4018442 O	M40045CO		7401-50F	246-048	
UMC 4018446 O	M40045OO		7402-50F	246-050	
UMC 4018448 OB	M40045DB				
UMC 4018501 O	M40050CC		7400-45F	246-017	
UMC 4018502 O	M40050CO		7401-45F	246-049	
UMC 4018506 O	M40050OO		7402-50F	246-051	
UMC 4018508 O	M40050DD		7405-50F		
UMC 4018508 OB	M40050DB				
UMC 4018509 O	M40045DC		7404-45/50F	246-084	
UMC 4018571 O	M40057CC		7400-57F	246-018	
UMC 4018572 O	M40057CO		7401-57F		
UMC 4018578 O	M40057DD		7405-57		

180 mm Oval Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 4018578 OB	M40057DB				
UMC 4018579 O	M40050DC		7404-50/57F	246-085	
UMC 4018631 O	M40063CC		7400-63F		
UMC 4018632 O	M40063CO		8401-63F		
UMC 4018638 O	M40063DD		8405-63F		
UMC 4018639 O	M40063DC				
UMC 4018769 O	M40076DC				
UMC 4318442 O	M40045CO				
UMC 5018448 OB	M50045DB				
UMC 5018508 O	M50050DD		7505-50F		
UMC 5018508 OB	M50050DB				
UMC 5018579 O	M50050DC				
UMC 6018442 O	M60045CO				
UMC 6018508 O	M60050DD			246-808	
UMC 6018509 O	M60050DC				

180 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 2318578 O	SM23057DD				
US 3018382 O	SM33038CC				
US 3018441 O	SM33045CC		S 7300-45F	246-913	
US 3018442 O	SM33045CO		S 7301-45F	246-940	
US 3018501 O	SM33050CC		S 7300-50F	246-914	
US 3018502 O	SM33050CO		S 7301-50F	246-941	
US 3018506 O	SM33050OO		S 7302-50F	246-943	
US 3018508 OB	SM33050DB				
US 3018509 O	SM33050DC		S 7304-50F	246-945	
US 3018571 O	SM33057CC		S 7300-57F	246-915	
US 3018572 O	SM33057CO		S 7301-57F		
US 3018578 O	SM33057DD		S 7305-50F		
US 3018579 O	SM33050DC				
US 3018631 OS	SM33063CC		S 7300-63F		
US 3018632 OS	SM33063CO		S 7301-63F		
US 3018638 O	SM33063DD				
US 3018761 O	SM33076CC				
US 3518448 O	SM33045DD				
US 3518572 O	SM33057CO				
US 3518578 O	SM33057DD				
US 3518636 O	SM33063OO				
US 4018441 O	SM40044CC		S 7400-45F	246-916	
US 4018442 O	SM40044CO		S 7401-45F	246-948	
US 4018448 O	SM40045DD				
US 4018501 O	SM40050CC		S 7400-50F	246-917	
US 4018502 O	SM40050CO		S 7401-50F	246-949	
US 4018506 O	SM40050OO		S 7402-50F	246-951	
US 4018508 O	SM40050DD		S 7405-50F	246-974	
US 4018509 O	SM40050DC		S 7404-50F		


180 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 4018571 O	SM40057CC		S 7400-57F	246-918	
US 4018572 O	SM40057CO		S 7401-57F		
US 4018576 O	SM40057OO		S 7402-57F		
US 4018578 O	SM40057DD		S 7405-57F		
US 4018631 O	SM40063CC		S 7400-63F		
US 4018632 O	SM40063CO		S 8401-63F		
US 4018636 O	SM40063OO				
US 4018638 O	SM40063DD				
US 4018639 O	SM40063DC				
US 4018761 OS	SM40076CC		S 8401-76F		
US 4518441 O	SM45045CC				
US 4518506 O	SM45050OO				
US 4518638 O	SM45063DD				
US 5018578 O	SM50057DD				
US 5018638 O	SM50063DD				
US 6018631 O	SM60063CC				
US 6018761 OS	SM60076CC				

240 mm Oval Silencers



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B24 ^C57 Inlet & outlet 1 Oval 0

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 3524503 O	L35050CO		9351-50F		
UM 3524442 O	L35045CO		9351-45F		
UM 3524572 O	L35057CO				
UM 3524579 O	L35057DC				
UM 3524638 O	L35063DD				
UM 3524639 O	L35063DC				
UM 3524768 O	L35076DD				
UM 4524502 O	L45050CO		9450-50F	246-070	
UM 4524572 O	L45057OO		9451-57F	246-072	
UM 4524632 O	L45063CO				
UM 5024502 O	L50050CO				
UM 5024572 O	L50057CO				
UM 5024632 O	L50063CO				

240 mm Oval Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 3024448 O	L33045DD				
UMC 3024508 OB	L33050DB				
UMC 3524442 O	L33045CO		9351-45F		
UMC 3524446 O	L33045OO		9352-45F		
UMC 3524448 OB	L33045OO				
UMC 3524508 OB	L33050DB				
UMC 3524509/3 O					
UMC 3524571 O	L33057CC				
UMC 3524573 O	L33057CO				
UMC 4024442 O	L40045CO				
UMC 4524501 O	L45050CC				
UMC 4524502 O	L45050CO		9451-50F	246-070	
UMC 4524572 O	L45057CO		9451-57F	246-072	
UMC 6024446 O	L60045OO				
UMC 6024508 O	L60050DD				
UMC 6024508 OB	L60050DB		9606-50D	246-224	
UMC 6024509 O	L60050DC				
UMC 6024578 O	L60057DD				
UMC 6024578 OB	L60057DB				
UMC 6024579 O	L60057DC				
UMC 6024579 O DE					
UMC 6024579 O SE					
UMC 6024638 O	L60063DD				
UMC 6024639 O	L60063DC				
UMC 6024639 O SE					
UMC 6524506 O	L65050DD				
UMC 6524576 O	L65057OO				
UMC 6824579 O D-SE					

240 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 3024508 OB	SL33050DD				
US 3024571 O	SL33057CC				
US 3024578 OB	SL33057DB				
US 3024632 O	SL33063CO				
US 3024638 O	SL33063DD				
US 3024639/2 O					
US 3024639/3 O					
US 3024768 O	SL33076DD				
US 3524502 O	SL33050CO		S 935150F	246-962	
US 3524508 O	SL33050DD				
US 3524572 O	SL35057CO		S 9351-57F	246-968	
US 3524632 O	SL35063CO		S 9351-63F		
US 3524638 O	SL33063DD				
US 3524638 OB	SL33063DB				
US 3524761 O	SL33063CC				
US 3524768 O	SL35076DD				
US 4024578 O	SL40057DD				
US 4024762 O	SL40076CO				
US 4524502 O	SL45050CO		S 9451-50F	246-970	
US 4524509 O SE					
US 4524572 O	SL45057CO		S 9451-57F	246-972	
US 4524631 O	SL45063CC		S 9450-63F		
US 4524638/2 O					
US 5024508 O	SL50050DD				
US 5024509 O SE					


240 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 4524572 O	SL45057CO				
US 4524631 O	SL45063CC				
US 4524638/2 O					
US 5024508 O	SL50050DD				
US 5024509 O SE					
US 6024508 OBS	SL60050DB				
US 6024578 OB	SL60057DB				
US 6024579 O	SL50057DC				
US 6024579 O DE					
US 6024579 O SE					
US 6024639 O	SL60063DC				
US 6024768 O	SL60076DD				
US 6824579 O SE					
US 7024639/2 O					
USC 6524576 O	SL65057OO				
USC 6824579 O D-SE					

250 mm Oval Silencers



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B25 ^C57 Inlet & outlet 1 Oval

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 3025442 O	XL33045CO				
UM 3025502 O	XL33050CO				
UM 3025762 O	XL33076CO				1135150
UM 3525442 O	XL35045CO		9351-45F	246-155	
UM 3525502 O	XL33050CO	OCC340CO50M E	9351-50F		
UM 3525502 O TRI			9357-50F		
UM 4025501 O	XL40050CC				
UM 4025502 O	XL40050CO				
UM 4025572 O	XL40057CO				
UM 4025578 O	XL40057DD				1150150
UM 4025632 O	XL40063CO				
UM 5025501 O	XL50050CC				1150157
UM 5025502 O	XL50050CO	OCC500CO50M E	9501-50F		
UM 5025571 O	XL50057CC		9501-57F		
UM 5025572 O	XL50057CO	OCC500CO57M E			
UM 5025576 O	XL50057OO				
UM 5025636 O	XL50063OO				
UM 5025761 O	XL50076CC				
UM 5025762 O	XL50076CO				
UM 6025631 O	XL60063CC				
UM 6025632 O	XL60063CO				

250 mm Oval Silencers



Chambered Mild Steel Silencers: (UMC)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UMC 3525503 O	XL33050CO		9351		
UMC 3525509/3 O			9354		
UMC 4025502 O	XL40050CO				
UMC 4025508 OB	XL40050DB				
UMC 4025769 O	XL40076DC				
UMC 4525502 O	XL45050CO				
UMC 4525578 O	XL45057DD				
UMC 5025506 O	XL50050OO				
UMC 5025508 O	XL50050DD				
UMC 5025508 OB	XL50050DB				
UMC 5025509 O	XL50050DC				
UMC 5025579 O	XL50057DC				
UMC 6025572 O	XL60057CO				
UMC 6025632 O	XL60063CO				
UMC 6025636 O	XL60063OO				

250 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 3025502 O	SXL33050CO				
US 3425769 O	SXL33076DC				
US 3525442 O	SXL33045CO		S 9351-45F	246-965	
US 3525449/3 O					
US 3525502 O	SXL33050CO				
US 3525503 O	SXL33050CO		S 9351-50F	246-962	
US 3525506 O	SXL33050OO				
US 3525509/3 O					
US 3525632 OS	SXL33063CO		S 9351-63F		
US 4025502 O	SXL40050CO				
US 4025762 O	SXL40076CO				
US 4025768 O	SXL40076DD				
US 4525762 O	SXL45076CO				
US 5025502 O	SXL50050CO				
US 5025509 O	SXL50050DC				
US 5025631 O	SXL50063CC				
US 5025636 O	SXL50063OO				


250 mm Oval Silencers



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 5025761 O	SXL50076CC				
US 5025766 O	SXL50076OO				
US 5525631 O	SXL55063CC				
US 6025631 O	SXL60063CC				
US 6025638 O	SXL60063DD				
US 6025761 O	SXL60076CC				
USC 5025579 O	SXL50057DC				
USC 5525572 O	SXL55057CO				

Round Free Flow Muffler/Booster



A - Length
B - Diameter
C - Pipe OD Diameter

Part number

UM ^A30 ^B3 ^C57 Inlet & outlet 1 ROUND R

Free Flow Mild Steel Silencers: (UM)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
UM 303441 R					
UM 303501 R					
UM 303571 R					
UM 403441 R					
UM 403501 R					
UM 403571 R					

Round Free Flow Muffler/Booster



Stainless Steel Silencers: (US)

DeGraaf	Conversion code Cowley	Conversion code Eagle	Conversion code Tuffex	Conversion code Bosal	Conversion code Noise Boys
US 203501 R					
US 303441 R					
US 303501 R					
US 303571 R					
US 403501 R					